



GENERAL APPLICATIONS

| | | |
|-----------------------------------|------------|-------------|
| Cuttings | TC10 | low |
| Sowing in trays or boxes | TC4 | low |
| Block cube | on request | low |
| Vegetables in trays | TC4 | low |
| Vegetables in pots | TC1 | low |
| Bedding plants | TC2, TC3 | normal |
| Balcony plants | 3,6 | normal-high |
| Perennials Summer substrate | TC7 | low |
| Perennials Winter substrate | TC7 | low |
| Container substrate | TC7, TC8 | low |
| Base substrate | TC0 | basis |
| Strawberries, raspberries | TC12 | low |
| Blueberries long-term cultivation | special | low |
| Tobacco | TC4 | low |

All information and recommendations are non-binding and do not release the user from the obligation to check the culture requirements and suitability of the respective substrate himself.

For applications or cultures that are not included in the list, please contact our service
service@terracult.com

TERRACULT.COM



WHICH SUBSTRATE IS SUITABLE FOR WHICH PLANT CULTURE?

| | PLANT | RECOMMENDED RECIPE OF TERRACULT BLUE | NUTRIENT REQUIREMENTS |
|----------|--|--------------------------------------|-----------------------|
| A | Acalypha hispida | TC5, TC6 | normal |
| | Achimenes Hybriden | TC5, TC6 | normal |
| | Adiantum raddianum | TC5 | low |
| | Aechmea fasciata | TC14 | – |
| | Aeschynanthus Hybriden | TC6 | normal |
| | Aglaonema commutatum | TC6 | normal |
| | Alocasia macrorhizos, lowii | TC5, TC6 | normal |
| | Amaryllis | TC2, TC5, TC8 | – |
| | Ananas comosus | TC6, TC9 | normal |
| | Anthurium Andreanum | TC8 | normal |
| | Anthurium Hybriden | TC7, TC8 | normal |
| | Aphelandra squarrosa | TC6 | normal |
| | Araucaria heterophylla | TC6 | normal |
| | Argyranthemum | TC6 | normal |
| | Asparagus sprengeri, plumosus, densiflorus | TC5, TC6 | normal |
| | Aspidistra elatior | TC5, TC6 | normal |
| | Asplenium nidus | TC6 | low |
| | Azalea | TC9 | low |
| B | Beaucarnea recurvata | TC6 | normal |
| | Flower bed and balcony | TC2, TC3, TC6 | normal-high |
| | Begonia x hiemalis | TC6 | normal |
| | Begonia maculata | TC5, TC6 | normal |
| | Begonia semperflorens | TC6 | normal |

For applications or cultures that are not included in the list, please contact our service
service@terracult.com

TERRACULT.COM



WHICH SUBSTRATE IS SUITABLE FOR WHICH PLANT CULTURE?

| | PLANT | RECOMMENDED RECIPE OF TERRACULT BLUE | NUTRIENT REQUIREMENTS |
|----------|--------------------------|--------------------------------------|-----------------------|
| B | Begonia rex | TC5, TC6 | normal |
| | Bilbergia | TC14 | normal |
| | Blechnum gibbum | TC6, TC7 | normal |
| | Bouvardia Hybriden | TC5, TC6 | normal |
| | Bromeliad | TC5, TC8 | – |
| | Brunsfelsia | TC5, TC6 | normal |
| C | Caladium Hybriden | TC6 | normal |
| | Calathea | TC6 | normal |
| | Callistemon citrinus | TC6 | normal |
| | Camelia Hybriden | TC9 | normal |
| | Canna x generalis | TC5, TC8 | – |
| | Castanospermum australe | TC5, TC6 | normal |
| | Celosia (cutting) | – | – |
| | Chamedorea | TC5, TC6 | normal |
| | Chamaerops humilis | TC6 | normal |
| | Chlorophytum comosum | TC5, TC6 | normal |
| | Chrysanthemum | TC6, TC7 | high |
| | Cissus antarctica, alata | TC5, TC6 | normal |
| | Clivia | TC5, TC6 | normal |
| | Clusia | TC6 | normal |
| | Cocos nucifera | TC6, TC7 | normal |
| | Codiaeum variegatum | TC5, TC6 | normal |
| | Coffea arabica | TC5, TC6 | normal |
| | Colocasia | TC5, TC8 | – |

For applications or cultures that are not included in the list, please contact our service
service@terracult.com

TERRACULT.COM



WHICH SUBSTRATE IS SUITABLE FOR WHICH PLANT CULTURE?

| | PLANT | RECOMMENDED RECIPE OF TERRACULT BLUE | NUTRIENT REQUIREMENTS |
|----------|--|--------------------------------------|-----------------------|
| C | Crassula ovata | TC5 | normal |
| | Crossandra infundibuliformis | TC5, TC6 | normal |
| | Croton | TC2, TC5, TC8 | — |
| | Cyclame persicum | TC6 | normal |
| | Cymbidium | Orchid substrate* | normal |
| | Cyperus papyrus, alternifolius | TC5 | normal |
| | Cyrtomium falcatum | TC5, TC6 | normal |
| D | Dieffenbachia maculata | TC5, TC6 | normal |
| | Dracena fragans, marginata, sanderiana, draco | TC5, TC6 | normal |
| | Duranta | TC5, TC8 | |
| | Dypsis lutescens | TC6 | normal |
| E | Echeveria agavoides | TC5 | normal |
| | Epiphyllum-Hybriden | TC6 | normal |
| | Epipremnum pinnatum | TC5, TC6 | normal |
| | Erica | TC9 | normal |
| | Euphorbia ingens, leuconeura | TC6 | normal |
| | Euphorbia milii | TC5 | normal |
| | Euphorbia pulcherima | TC6 | normal |
| | Euphorbia trigona | TC5, TC6 | normal |
| | Eustoma grandiflorum | TC6 | normal |
| | Exacum affine | TC5 | normal |

For applications or cultures that are not included in the list, please contact our service
service@terracult.com

TERRACULT.COM



WHICH SUBSTRATE IS SUITABLE FOR WHICH PLANT CULTURE?

| PLANT | RECOMMENDED RECIPE OF TERRACULT BLUE | NUTRIENT REQUIREMENTS |
|----------|--------------------------------------|-----------------------|
| F | Fatsia japonica | TC6, TC7 |
| | Fatshedera lizei | TC5 |
| | Fern | TC2, TC5, TC8 |
| | Ficus benjamina, elasica, lyrata | TC6, TC7 |
| | Ficus pumila | TC5, TC6 |
| | Fittonia | TC5, TC6 |
| G | Ginger Hydechium | – |
| | Gemüseanzucht | TC1, TC4 |
| | Gerbera-Hybriden | TC6 |
| | Gardenia jasminoides | TC6 |
| | Gasteria verrucosa | TC5 |
| | Grevillea robusta | TC6 |
| | Guzmania-Hybriden | TC14 |
| | Gynura | – |
| | Gladiolus | TC2, TC5 |
| H | Hatiora Hybriden | TC6 |
| | Hedera helix | TC5, TC6 |
| | Hydrangea macrophylla | TC6 |
| | Hydrangea blue | on request |
| | Howea forsteriana | TC6, TC7 |
| | Hypoestes phyllostachya | TC5, TC6 |

For applications or cultures that are not included in the list, please contact our service
service@terracult.com

TERRACULT.COM



WHICH SUBSTRATE IS SUITABLE FOR WHICH PLANT CULTURE?

| | PLANT | RECOMMENDED RECIPE OF TERRACULT BLUE | NUTRIENT REQUIREMENTS |
|----------|-------------------------------|--------------------------------------|-----------------------|
| I | Impatiens Neu Guinea | TC6 | normal |
| | Impatiens walleriana | TC5, TC6 | normal |
| J | Jasminum polyanthum | TC5, TC6 | normal |
| | Justicia carnea, brandegeana | TC5, TC6 | normal |
| K | Kalanchoe Hybriden | TC5, TC6 | normal |
| L | Laurus nobilis | TC6, TC7 | normal |
| | Liantrus | TC2, TC5 | – |
| | Lillium | TC2, TC5 | – |
| | Ligularia | TC2, TC5 | – |
| | Lisianthus | TC2, TC5 | – |
| | Livistona rotundifolia | TC6 | normal |
| M | Maranta leuconeura | TC5, TC6 | normal |
| | Marigold (Tagetes) | TC2, TC4 | – |
| | Monstera adansonii, deliciosa | TC7, TC8 | normal |
| | Medinilla magnifica | TC6 | normal |
| | Mimosa pudica | TC5, TC6 | normal |
| | Myrtus communis | TC5, TC6 | normal |
| | | | |
| N | Nephrolepis exaltata | TC5 | low |
| | Nertera Hybriden | TC5, TC6 | normal |

For applications or cultures that are not included in the list, please contact our service
service@terracult.com

TERRACULT.COM



WHICH SUBSTRATE IS SUITABLE FOR WHICH PLANT CULTURE?

| | PLANT | RECOMMENDED RECIPE OF TERRACULT BLUE | NUTRIENT REQUIREMENTS |
|----------|---|--------------------------------------|-----------------------|
| O | Orchids | on request | – |
| | Osteospermum | TC6 | normal |
| | Oxalis tetraphylla | TC5 | normal |
| P | Pachira aquatica | TC5, TC6 | normal |
| | Pachypodium lamerei | TC6 | normal |
| | Passiflora caerulea | TC5, TC6 | normal |
| | Pelargonium Grandiflorum | TC6 | high |
| | Pelargonium zonale | TC6 | high |
| | Peperomia obtusifolia | TC5, TC6 | normal |
| | Petunia Surfinia | TC3, TC5 | normal |
| | Phlebodium | TC5, TC6 | normal |
| | Philodendron gloriosum cordatum, scandens | TC5, TC6 | normal |
| | Philodendron bipinnatifidum | – | normal |
| | Pilea peperomioides | TC5, TC6 | normal |
| | Platycerium | TC8 | normal |
| | Poinsettien | TC6, TC7 | normal |
| | Primula obconica | TC6 | normal |
| | Primula vulgaris | TC3 | normal |
| | Pteris cretica 5 | – | low |

For applications or cultures that are not included in the list, please contact our service
service@terracult.com

TERRACULT.COM



WHICH SUBSTRATE IS SUITABLE FOR WHICH PLANT CULTURE?

| PLANT | RECOMMENDED RECIPE OF TERRACULT BLUE | NUTRIENT REQUIREMENTS |
|----------|--------------------------------------|-----------------------|
| R | Rademachera sinica | TC5, TC6 |
| | Ravenala | TC7 |
| | Rhapis excelsa | TC3, TC5 |
| | Rhododendron simsii | TC9 |
| | Rhododendron Hybriden | TC9 |
| | Roses (pot) | TC6, TC7 |
| S | Saintpaulia ionantha | TC5, TC6 |
| | Sansevieria | TC5, TC6 |
| | Schlumbergera Hybriden | TC5, TC6 |
| | Schefflera arboricola | TC5, TC6 |
| | Scindapsus pistus | TC5, TC6 |
| | Sedum | TC2, TC5 |
| | Senecio rowleyanus | TC5 |
| | Selaginella Involvens | TC2, TC4 |
| | Sinningia-Hybriden | TC6 |
| | Solanum jasminoides | TC5, TC6 |
| | Solenostermon | TC5 |
| | Sparmannia africana | TC5, TC6 |
| | Spathiphyllum wallisii | TC8 |
| | Stauden | TC6, TC7 |
| | Stecklingsvermehrung | TC1, TC10 |
| | Stephanotis floribunda | TC6 |

For applications or cultures that are not included in the list, please contact our service
service@terracult.com

TERRACULT.COM



WHICH SUBSTRATE IS SUITABLE FOR WHICH PLANT CULTURE?

| | PLANT | RECOMMENDED RECIPE OF TERRACULT BLUE | NUTRIENT REQUIREMENTS |
|----------|--------------------------------|--------------------------------------|-----------------------|
| S | Streptocarpus Hybriden | TC6 | normal |
| | Stromanthe thalia | TC5, TC6 | normal |
| | Surfinia | TC6 | normal |
| | Syngonium podophyllum | TC5, TC6 | normal |
| T | Tillandsia cyanea | TC14 | – |
| | Trachycarpus fortunei | TC6 | normal |
| | Tradescantia zebrina | TC5 | normal |
| V | Vanda Hybriden | Orchid substrate* | – |
| | Viola | TC6 | normal |
| | Vriesea Hybriden | Orchid substrate* | – |
| W | Washingtonia filifera, robusta | TC6 | normal |
| Y | Yucca elephantipes | TC5, TC6 | normal |
| Z | Zamia furfuracea | TC6, TC7 | normal |
| | Zamioculcas zamiifolia, | TC6 | normal |
| | Zantedeschia Hybriden | TC5, TC8 | normal |
| | Zygopetalum Hybriden | Orchid substrate* | – |

For applications or cultures that are not included in the list, please contact our service
service@terracult.com

TERRACULT.COM